

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: **Ultralit Brilliant**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: cleaning agent; professional use.

Uses advised against: not determined.

1.3. Details of the supplier of the safety data sheet

Supplier: **ULTRALIT WORLDWIDE DISTRIBUTION**

Address: ul. Parowcowa 4C, 02-445 Warszawa, PL

Telephone/fax: +48 22 614 52 04 / +48 22 814 74 81

E-mail address for a competent person responsible for SDS: info@ultralit.eu

1.4. Emergency telephone number

112 (general emergency telephone number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous for human health and life and for the environment.

2.2. Label elements

Hazard pictograms and signal words

None.

Hazardous components placed on the label

None.

Hazard statements

None.

Precautionary statements

None.

Additional information

None.

2.3. Other hazards

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

3.2. Mixtures

CAS number: 120313-48-6 EC number: — Index number: — Registration number: —	alcohols, C12-15-branched and linear, ethoxylated propoxylated Skin Irrit. 2 H315, Aquatic Acute 1 H400 (M=1), Aquatic Chronic 3 H412	1 % ≤ C < 5 %
CAS number: 67-63-0 EC number: 200-661-7 Index number: 603-117-00-0 Registration number: 01-2119457558-25-XXXX	propan-2-ol Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336	1 % ≤ C < 5 %
CAS number: 69011-36-5 ECHA List number: 931-138-8 Index number: — Registration number: —	isotridecanol, ethoxylated Acute Tox. 4 H302, Eye Dam. 1 H318	1 % ≤ C < 5 %
CAS number: 97489-15-1 EC number: 307-055-2 Index number: — Registration number: 01-2119489924-20-XXXX	sulfonic acids, C14-17-sec-alkane, sodium salts Acute Tox. 4 H302, Skin Irrit. 2 H315, Eye Dam. 1 H318, Aquatic Chronic 3 H412 <u>Specific concentration limits:</u> Acute Tox. 4 H302: C > 60% Skin Irrit. 2 H315: C > 60% Skin Irrit. 2 H315: 15% < C ≤ 60% Skin Irrit. 2 H315: 10% < C ≤ 15% Eye Dam. 1 H318: C > 60% Eye Dam. 1 H318: 15% < C ≤ 60% Eye Irrit. 2 H319: 10% < C ≤ 15%	1 % ≤ C < 5 %

Full text of each H phrase is given in section 16.

Components according to Regulation on detergents 648/2004/EC as amended:

anionic surfactants	< 5%
non-ionic surfactants	< 5%
perfumes (BUTYLPHENYL METHYLPROPIONAL, LINALOOL, LIMONENE)	
preservation agents (BENZISOTHIAZOLINONE, SODIUM PYRITHIONE)	

SECTION 4: First aid measures

4.1. Description of first aid measures

Contact with skin

Take off contaminated clothing. Wash the exposed parts of the skin thoroughly with water and soap. Consult a doctor if disturbing symptoms appear.

Contact with eyes

Protect non-irritated eye, remove contact lenses. Rinse contaminated eyes thoroughly with water for 10 - 15 minutes. Avoid powerful water stream – risk of cornea damage. Consult an ophthalmologist if disturbing symptoms appear.

Ingestion

Consult a doctor, show the packaging or label. Do not induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.

After inhalation

Remove the victim to fresh air, keep warm and at rest. Consult a doctor if disturbing symptoms appear.

4.2. Most important symptoms and effects, both acute and delayed

Contact with skin

The product may cause redness, burning sensation, skin dryness.

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

Contact with eyes

The product may cause burning sensation, tearing, conjunctival redness.

Ingestion

May cause nausea, vomiting, abdominal pains, diarrhea.

After inhalation

High concentration of vapours and mists may cause headaches, dizziness.

Effects of exposure

There are no known effects other than those mentioned above.

4.3. Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: adapt the extinguishing media to surrounding materials.

Unsuitable extinguishing media: water jet – risk of the propagation of the flame.

5.2. Special hazards arising from the substance or mixture

During the fire may produce harmful gases containing e.g. carbon monoxides, other hazardous unidentified products of thermal decomposition. Do not inhale combustion products, they can be dangerous for human health.

5.3. Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Cool down the containers that are endangered by fire with a water spray from a safe distance. Collect used extinguishing media.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Limit the access for the outsiders into the breakdown area, until the suitable cleaning operations are completed. Ensure that only the trained personnel removes the effects of the accident. In case of large spills, isolate the exposed area. Use personal protective equipment.

6.2. Environmental precautions

Do not allow the product to get into the sewage system, surface waters and soil. In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3. Methods and material for containment and cleaning up

Small leakage: collect the spilled product with incombustible absorbing materials (e.g. sand, earth, universal binding agents, silica etc.) and place it in waste containers. Treat the collected material as waste. Clean and ventilate the contaminated area.

Large leakage: isolate places where liquid accumulates; pump the collected liquid out.

6.4. Reference to other sections

Appropriate conduct with waste product – see section 13. Personal protective equipment – see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Provide general and / or local ventilation in the workplace in order to maintain the concentration of the harmful agent in the air below the established limit values. Use personal protective equipment. Keep the unused containers tightly closed. Avoid eyes and skin contamination. Avoid vapor formation.

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

7.2. Conditions for safe storage, including any incompatibilities

Store in properly labeled, sealed packages in a dry, cool and well-ventilated place. Keep away from incompatible materials (see subsection 10.5). Keep away from, foodstuffs and animal feed .

7.3. Specific end use(s)

No information about other uses than those mentioned in subsection 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limit Values

Legal Basis: Commission Directive 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU.

The product does not contain components subject to exposure controls in the workplace.

Legal Basis: EH40/2005 Workplace exposure limits. Fourth Edition 2020.

Recommended control procedures

Procedures for monitoring concentrations of hazardous components in the air and procedures for monitoring air purity in the workplace should be applied - if available and justified at a given position - in accordance with the relevant national or European Standards, taking into account the conditions at the site of exposure and the appropriate measurement methods adapted to the working conditions. The mode, type and frequency of tests and measurements should meet the requirements of the appropriate laws.

DNEL and PNEC

propan-2-ol [CAS 67-63-0]			
Exposure route	Exposure scheme	DNEL	
		worker	consumer
inhalation	long-term systemic	500 mg/m ³	89 mg/m ³
skin	long-term systemic	888 mg/kg bw/day	319 mg/kg bw/day
oral	long-term systemic	—	26 mg/kg bw/day

propan-2-ol [CAS 67-63-0]	
PNEC	Value
marine water	140,9 mg/l
freshwater	140,9 mg/l
soil	28 mg/kg dry weight
freshwater sediment	552 mg/kg dry weight
marine water sediment	552 mg/kg dry weight
sewage treatment plant	2251 mg/l
secondary poisoning	160 mg/kg food
freshwater (intermittent release)	140,9 mg/l

sulfonic acids, C14-17-sec-alkane, sodium salts [CAS 97489-15-1]			
Exposure route	Exposure scheme	DNEL	
		worker	consumer
inhalation	long-term systemic	35 mg/m ³	12,4 mg/m ³
oral	long-term systemic	—	7,1 mg/kg bw/day
skin	long-term systemic	5 mg/kg bw/day	3,57 mg/kg bw/day

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

sulfonic acids, C14-17-sec-alkane, sodium salts [CAS 97489-15-1]			
Exposure route	Exposure scheme	DNEL	
		worker	consumer
inhalation	long-term systemic	35 mg/m ³	12,4 mg/m ³
skin	long-term local	2,8 mg/cm ²	2,8 mg/cm ²
skin	short-term local	2,8 mg/cm ²	2,8 mg/cm ²

sulfonic acids, C14-17-sec-alkane, sodium salts [CAS 97489-15-1]	
PNEC	Value
marine water	0,006 mg/l
freshwater	0,06 mg/l
soil	9,4 mg/kg dry weight
freshwater sediment	9,4 mg/kg dry weight
marine water sediment	0,94 mg/kg dry weight
sewage treatment plant	600 mg/l
secondary poisoning	53,3 mg/kg food
freshwater (intermittent release)	0,06 mg/l

8.2. Exposure controls

Industrial hygiene

Use the product in accordance with good occupational hygiene and safety practices. Do not eat, drink and smoke during the work. Before break and after work wash hands carefully. Ensure adequate general and/or local ventilation at the workplace. Do not allow vapours to concentrate in the air and to create concentrations within the limits of explosive properties or exceeding the OEL values.

Individual protection measures

The necessity to use and the selection of appropriate personal protective equipment should take into account the type of risk posed by the product, working conditions and the way of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards. The employer is obliged to provide protection measures appropriate to the activities performed and meeting all quality requirements, including their maintenance and cleaning. Any contaminated or damaged PPE must be replaced immediately.

Hand protection

In case of a prolonged or repeated contact with the product, use protective gloves (EN 374) if a risk assessment indicates this is necessary. Select the material for the gloves individually at the workplace.

The glove material has to be impermeable and resistant to the product. The choice of material for protective gloves should be made taking into account the breakthrough times, permeation rate and degradation. Moreover, the selection of the appropriate gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer. The exact breakthrough time has to be obtained from the glove manufacturer and it must be observed.

Body protection

Use skin protection measures adequate to the existing thermal, chemical or mechanical hazards.

Eye protection

If there is a risk of eye contamination, use safety glasses in accordance with the EN 166 standard.

Respiratory protection

In cases where the risk assessment indicates that it is necessary, respiratory protective equipment compliant with the EN136 standard (masks) or EN 140 (half masks, quarter masks) should be used.

Thermal hazards

Not applicable.

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

Environmental exposure controls

Prevent direct release to drains/ surface waters. Do not contaminate surface waters and drainage ditches with chemicals or used containers. Released product or uncontrolled spills to surface waters should be reported to appropriate authorities in accordance with local and national legislations. Dispose as chemical waste, in accordance with local and national legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	characteristic
Melting point/freezing point:	<-8°C
Boiling point or initial boiling point and boiling range:	> 98°C
Flammability:	the product is not classified in terms of flammability
Lower and upper explosion limit:	not determined
Flash point:	> 100°C
Auto-ignition temperature:	> 300°C
Decomposition temperature:	not determined
pH:	ok. 8,0
Kinematic viscosity:	not determined
Solubility:	soluble in water
Partition coefficient n-octanol/water (log value):	not applicable
Vapour pressure:	not determined
Density and/or relative density:	1,01 g/cm ³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

No additional tests.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is not very reactive. It does not go under hazardous polymerization. See also subsection 10.3-10.5.

10.2. Chemical stability

The product is stable under normal conditions of use and storage.

10.3. Possibility of hazardous reactions

Hazardous reactions are not known.

10.4. Conditions to avoid

Avoid sources of heat and direct sunlight. Keep away from cold.

10.5. Incompatible materials

Avoid contact with following materials: strong oxidants.

10.6. Hazardous decomposition products

Not known.

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

propan-2-ol [CAS 67-63-0]	
LC ₅₀ (inhalation, rat)	> 10000 ppm/6h
LD ₅₀ (oral, rat)	5840 mg/kg
LD ₅₀ (skin, rabbit)	16,4 ml/kg

sulfonic acids, C14-17-sec-alkane, sodium salts [CAS 97489-15-1]	
LD ₅₀ (skin, mouse)	> 2000 mg/kg

Mixture	
ATE _{mix} (ingestion)	> 2000 mg/kg
Based on available data, the classification criteria are not met.	

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Exposure route: eye exposure, skin exposure, inhalation, ingestion. For more information on the impact of each possible route of exposure, see subsection 4.2.

Symptoms related to the physical, chemical and toxicological characteristics

See subsection 4.2 of the SDS.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

See subsection 4.2 of the SDS.

11.2. Information on other hazards

Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

Other information

No data on other hazards.

SECTION 12: Ecological information

12.1. Toxicity

propan-2-ol [CAS 67-63-0]		
LC ₅₀ (fish)	9640 mg/l / 96 h / <i>Pimephales promelas</i>	method: —
sulfonic acids, C14-17-sec-alkane, sodium salts [CAS 97489-15-1]		
LC ₅₀ (fish)	5,5 mg/l / 96 h / <i>Leuciscus idus melanotus</i>	method: EU Metoda C.1
NOEC (fish)	0,85 mg/l / 28 days / <i>Oncorhynchus mykiss</i>	method: OECD 204
EC ₅₀ (invertebrates)	9,2 mg/l / 48 h / <i>Daphnia magna</i>	method: OECD 202 / EU Metoda C.2
NOEC (invertebrates)	0,36 mg/l / 22 days / <i>Daphnia magna</i>	method: OECD 202
EC ₅₀ (algae)	> 61 mg/l / 72 h / <i>Desmodesmus subspicatus</i>	method: OECD 201
NOEC (microorganisms)	600 mg/l / 16 h / <i>Pseudomonas putida</i>	method: DIN 38412-8
Mixture		
The product is not classified as hazardous to the aquatic environment.		

12.2. Persistence and degradability

propan-2-ol CAS 67-63-0	Biodegradable	53%/5 days	method: EU C.5 / EU C.6
sulfonic acids, C14-17-sec-alkane, sodium salts CAS 97489-15-1	Easily biodegradable	78%/28 days	method: OECD 301 B

12.3. Bioaccumulative potential

Bioaccumulation is not expected.

12.4. Mobility in soil

Mobility of components of the mixture in soil depends on the hydrophilic and hydrophobic properties and biotic and abiotic conditions of soil, including its structure, climatic conditions, seasons and soil organisms.

12.5. Results of PBT and vPvB assessment

Product does not contain components, which meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

12.6. Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59(1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

12.7. Other adverse effects

The mixture is not classified as hazardous to the ozone layer. Consider other harmful effects of individual components of the mixture on the environment (eg, global warming potential).

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Odstraňování výrobku

The waste code should be given in the place of its formation. The waste product should be recovered or disposed of in authorized incineration plants or waste disposal / neutralization plants, in accordance with applicable regulations. Do not empty into drains.

Recommendations for used packaging

Reuse / recycle / eliminate empty containers in accordance with the local legislation. Only completely empty containers can be reused.

EU legal acts: directives of the European Parliament and of the Council: 2008/98 / EC as amended and 94/62 / EC as amended.

Recommended waste codes

07 06 99: wastes not otherwise specified

SECTION 14: Transport information

14.1. UN number or ID number

Not applicable, the product is not dangerous during transport.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Additional data

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ADR Agreement concerning the International Carriage of Dangerous Goods by Road.

IMDG Code International Maritime Dangerous Goods Code

IATA Dangerous Goods Regulations

1907/2006/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (as amended).

1272/2008/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (as amended).

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

2020/878/EU COMMISSION REGULATION of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals..

2000/39/EC COMMISSION DIRECTIVE of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

2006/15/EC COMMISSION DIRECTIVE of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.

2009/161/EU COMMISSION DIRECTIVE of 17 December 2009 establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

2017/164/EU COMMISSION DIRECTIVE of 31 January 2017 establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU.

2019/1831/EU COMMISSION DIRECTIVE of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

2008/98/EC DIRECTIVE OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives (as amended).

European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste as amended 2016/425/EU REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

648/2004/EC REGULATION OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents (as amended).

The components of the mixture are not included in Annex XVII of the REACH Regulation.

The components of the mixture are not included in Annex XIV of the REACH Regulation.

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for mixtures.

SECTION 16: Other information

Full text of H phrases mentioned in section 3

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Clarification of abbreviations and acronyms

ADR	Agreement concerning the International Carriage of Dangerous Goods by Road.
DIN	German Institute for Standardization
DNEL	Derived No-Effect Level.
EC ₅₀	(median effective concentration) - statistically calculated concentration of a chemical substance in an environmental medium that can cause specific effects in 50% of the tested organisms of a given population under certain conditions.
EN	European standard
IATA	The International Air Transport Association.
IMDG	International Maritime Dangerous Goods Code.
ISO	International Organization for Standardization
LC ₅₀	Concentration of a substance that is lethal to 50 percent of the organisms in a toxicity test.
LD ₅₀	Dose of a substance that is lethal to 50 percent of the organisms in a toxicity test.
NOEC	The highest concentration that does not cause a statistically significant adverse effect in the exposed population, when compared with its appropriate control.
OECD	Organisation for Economic Cooperation and Development

Safety Data Sheet

[Prepared in accordance with Regulation EC 1907/2006 (REACH), as amended]

PBT	Persistent, bioaccumulative and toxic substance.
PNEC	Predicted no-effect concentration.
vPvB	Very persistent and very bioaccumulative substance.
Acute Tox. 4	Acute toxicity - category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute - category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic - category 3
Eye Dam. 1	Serious eye damage - category 1
Eye Irrit. 2	Eye irritation - category 2
Flam. Liq. 2	Flammable liquid - category 2
STOT SE 3	Specific target organ toxicity — single exposure - category 3
Skin Irrit. 2	Skin irritation - category 2

Trainings

Before commencing working with the product, the user should learn the Health & Safety regulations, regarding handling chemicals, and in particular, undergo a proper workplace training.

Key literature references and sources of data

This SDS was prepared on the basis of the safety data sheet provided by the manufacturer, literature data, online databases (e.g. ECHA, TOXNET, COSING), our knowledge and experience, taking into account the current legislation.

Procedures used for the mixture classification according with Regulation 1272/2008/EC as amended

The classification was made on the basis of the physicochemical data of the mixture and the content of hazardous components by calculation method based on the guidelines of Regulation 1272/2008 / EC (CLP) as amended.

Additional information

Changes: section: —
SDS issued by: THETA Consulting Sp. z o.o.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.